
Dots light down by Kettal Studio

kettal

Dots light down

Designer Kettal Studio Collection Objects Reference 34L0214000


1/3



Available H / L Position: Recessed in the column Use: Indoor and outdoor Material: Aluminium body Transparent impermeable PMMA included with UV protection.

cm/inch

_____ **Ø4,7** _____ /1,85




kettal

Dots light down

Collection Objects

2/3



Color Temperature Scale Kelvin Degrees (°K)

1.000 2.500 5.000 7.500 10.000



Guarantee

kettal

Under no circumstances will the guarantee be extended for defects caused by insufficient or inadequate maintenance, incorrect use/operation, normal wear, and/or repairs or interventions made by unauthorised third parties without previous written authorisation.

Characteristics

Weight	0,5 Kg / 1,1 Lbs
Light source	LED
Nº LED	14
Protection type	IP65
Maximum power	9 W
Voltage	24 Vdc
Dimmable	Only with Bioclimatic ceiling
Colour temperature	2700K / 3500K
Luminous flux	450lm
IRC	>80
Lumimous efficiency	100 lm/W
Service life	50000 bh
Voltage LED	230V (CE box) / 120V (UL box)

UL compliance certificate on internal components.

Materials

Body made of extruded grey thermo painted aluminium LED lamps. Included transparent waterproof PMMA with UV protection.

Maintenance

Wipe surface with a damp cotton cloth. Avoid direct contact with solvents and oxides.

Dots light down

Designer Kettal Studio Collection Objects Reference KS34-003-00

3/3

Maintenance

Wipe surface with a damp cotton cloth. Avoid direct contact with solvents and oxides.







CE

Base Colour Options

Terrain Coatings



kettal