

Objects floor lamp by Kettal Studio

kettal

Objects floor lamp

Designer
Kettal Studio

Collection
Objects


Reference
KS5700700

1/3

Because spaces come to life through the objects that adorn them, Kettal has developed a range of exterior decoration and design products.

cm/inch


185/72,8



55/21,6

cm/inch

Ø53/20,8



Ø53/20,8



kettal

Objects floor lamp

Designer
Kettal Studio

Collection
Objects

Reference
KS5700700

2/3

Guarantee

Under no circumstances will the guarantee be extended for defects caused by insufficient or inadequate maintenance, incorrect use/operation, normal wear, and/or repairs or interventions made by unauthorised third parties without previous written authorisation.

Led bulb

E27-E26 / Max. height 110 mm (4.3") / Diameter 40 mm (2.36")

☞ IP-65. Does not include light cable ☞ IP-65 No incluye bombilla

☞ IP-65. Ampoule non inclus ☞ IP-65. Leuchtmittel sind nicht inbegriffen ☞ IP-65. Lampadina non inclusi

it does not allow incandescent light bulb, obligatory Low-energy light-bulb 60W/55W no permite bombillas incandescentes, obligatoriamente bombila bajo consumo 60W/55W il ne permet pas les Lampe à incandescence, obligatoire Low-energy lamp 60W/55W es erlaubt nicht Glühlampebirnen, obligatorisch Energiesparlampen 60W/55W non permette le lampadine incandescenti, lampara obbligatorio risparmio

Characteristics

Normative compliance	UNE-EN 60598-2-4:199
Weight	Shade (Aluminium 2,68 Kg / 5,9 Lbs. Porotex 2,46 Kg / 5,4 Lbs)
Bulb	E27 LED bulb. Does not include light source.
Liquid Ingress Protection (IP)	IP65
Input Voltage	100/120 / 230Vac
Energy efficiency class (C.E.E)	A++ / A + / A / B / C / D / E
Maximum Power (W)	Recommended light source not exceeding 60W (10W LED equivalent). No incandescent light bulbs.
Frequency (Hz)	50/60 Hz

Suitable for both indoor and outdoor use.

UL compliance certificate on internal components.

Objects floor lamp

Designer
Kettal Studio

Collection
Objects


Reference
KS5700700

3/3

Materials

Aluminium.
Antioxy, Heavy Load, Resistant
En-1421, Kettalize-It, An-
ti-Scratch, Easy Clean, Flame
Retardant M1, Eco Friendly
Ecoembes Recycling Process

Frame + Shade Colour Options



Bone
04C



Sand Dune
07C

Terrain Paints

Maintenance

Wipe surface with a damp cotton
cloth. Avoid direct
contact with solvents and oxides.



kettal