

A,  
Meeting table  
2200 x 940  
by Naoto Fukasawa

**kettal**

# Meeting table 2200 x 940


Designer  
Naoto Fukasawa

Collection  
A

Reference  
KSA000300

1/6

Chairs and desks made of solid wood are not very common in the office environment. The concept of workplaces integrating home and office made a change. Collection A consists of a stackable armchair, with upholstered seat and backrest, and tables in three sizes: Home Deck, Meeting Table and Workstation, in natural and dark oak wood.



kettal

# Meeting table

## 2200 x 940

Designer  
Naoto Fukasawa

Collection  
A

Reference  
KSA000300

2/6

### Materials

Wood  
100% Ash

### Other Characteristics

 Indoor use only

 Adjustable legs

### Maintenance

We recommend treating the wood with sealer every three months. To restore the wood to its original appearance, sand the entire surface and apply the sealer.

\* The use of natural wood might reflect tone variations

### Structure

### Wood\*




Natural Oak



Burnt Oak

### Notes

- 1 | Add your Kettal electrical accessories to complement the desk up to 4 units MAX.
- 2 | Built-in connectivity system:  
Input 100V - 240V | Max current 16A | EU 3300W Max | USA 1800W Max
- 3 | Power cable included (3 meters long, allows Right or Left connection to the table).
- 4 | Cable holder included.
- 5 | Adjustable gliders included.
- 6 | Select your region-specific socket.
- 7 | 8 persons



# Meeting table 2200 x 940


Designer  
Naoto Fukasawa

Collection  
A

Reference  
KSA000300

3/6

A collection scheme



- 1 Electrical accessories
- 2 Connectivity system integrated
- 3 Power cable
- 4 Cable holder clip
- 5 Adjustable table levelers
- 6 Worldwide electrical plugs
- 7 Screen divider

kettal

# Meeting table 2200 x 940

Designer  
Naoto Fukasawa

Collection  
A


Reference  
KSA000300

4/6

Restrictions framework for USB charger & Outlets kit under tabletop ( This requirement doesnt affect the Lamp or the Ceramic Outlet )

## Home Desk ( free room for 2 units )


\*bottom view



A USB driver	B Outlets kit under table
1 u.	1 u.
2 u.	X
X	2 u.


## Meeting table ( free room for 4 units )

\*bottom view



A USB driver	B Outlets kit under table
4 u.	X
3 u.	1 u.
2 u.	2 u.
1 u.	3 u.
X	4 u.

## Side screen divider



### Color Options



Natural  
Rattan



Deep Brown  
Rattan

1 | Side divider could work to other 30mm thickness tabletops.

2 | Made of Natural rattan.

# Meeting table 2200 x 940


Designer  
Naoto Fukasawa

Collection  
A

Reference  
KSA000300

5/6

## Lighting accessories



### Color Options



Bone




Charcoal

1 | This table lamp has a specific power and plug solution.

2 | UL compliance certificate all internal electrical components.

3 | Lamp performance:  
Light source included, built.in  
15W LED Input 110V - 240V 50 /  
60 Hz  
3 steps dimmable  
2700K | CRI90

## USB-a | USB-c charger station 70W



### Color Options



Bone



Charcoal

1 | USB-C provides up to 70w delivery for laptop charging capability.

2 | USB-A provides up to 12W for tablets and phones.

3 | This charger station comes with a driver A that needs to be mounted under the table top.

4 | USB charger station is designed for this collection tables, it has a special power and plug solution for the collection.

# Meeting table 2200 x 940


Designer  
Naoto Fukasawa

Collection  
A

Reference  
KSA000300

6/6

## Power outlet



### Color Options



Bone




Charcoal


1 | This outlet is designed for the "A" collection tables, it has a specific power and plug solution.

2 | UL compliance certificate all internal electrical components. 3 | Input 110 - 240V | Max current 16A.

4 | Select your region-specific version.



## Outlet kit under table



1 | The kit provides 3 outlets.

2 | Screws and cable included (mounting under table required).

3 | Input 110 - 240V | Max current 16A.

4 | Select your region specific version.

5 | The installation of this accessory has units limitation, please see the reference framework below.

kettal